


PHOTODEGRADABLE POLYMERS ENABLE RECOVERY OF HIGH VALUE COMPONENTS FROM ELECTRONICS AND COMPOSITES (RFT-529)

Invention Summary:

Only about 10% of post-consumer plastic is recycled in the U.S., leading to waste of plastic and valuable materials embedded in plastic. NDSU researchers have developed a technology to make many plastics photodegradable, enabling recovery of materials from plastics while broadly enhancing plastics recycling. With respect to recovery of embedded materials, electronic devices and carbon fiber composites were the two examples. More than 30% of carbon fiber ends up discarded. Electronics have an even worse recycling story, almost 90% of electronic waste is disposed without recycling. Even though it is a gold mine, one ton of circuit boards contains 40 – 800 times more gold than a ton of ore. There is also a tremendous amount of copper, silver, and palladium that is discarded rather than recovered. The NDSU technology enables recovery of these valuable components, which is accomplished by including built-in photocleavable units into the plastic polymers. The resulting photodegradable polymers can be designed for degradation with specific wavelengths of UV and/or visible light by selecting the appropriate photocleavable unit(s). Use of these photodegradable polymers in electronic devices and carbon fiber composites would allow them to be recycled far easier than today. They could be collected and exposed to the specific wavelength needed to degrade the 'plastic' structural or connecting material(s), which releases the high value metals and carbon fiber for collection, recycling, and reuse. Additionally, the photodegraded remnants of the polymers can themselves be collected and used to produce a new plastic product.



NDSU Research Foundation

1735 NDSU Research Park Drive Dept. 4400 PO Box 6080 Fargo, ND 58108-6050
701.231.8173 or 701.231.6659 Fax 701.231.6661 www.ndsuresearchfoundation.org

Benefits:

- Produce plastic backing / structural material that enables efficient and cost-effective recovery and recycling of high value metals and carbon fibers from e-waste and composites respectively
- Tunable as to wavelength that triggers photodegradation, with anticipated range between 300 nm and 850 nm
- Can use multiple photo-triggers, for example in block copolymers, that enable customized breakdown process / intermediates
- Tunable breakdown process, which can be impacted based on light intensity, structure of the materials, and the amount of photo-trigger that was incorporated into the polymers
- Suitable for colored plastics, as long as the color differs from the wavelength needed for photodegradation
- Monomers are derived from biomass, reducing carbon footprint as compared with petroleum-based polymers, and can themselves be recycled
- The technology is generally applicable to improving recycling of plastics, whether or not they include value added materials that can also be recovered

Patents:

This technology is US patent pending and is available for licensing/partnering opportunities

Contact:

Saurabhi Satam

Business Development and Licensing Associate

ssatam@ndsurf.org

<http://www.ndsuresearchfoundation.org/>

701-231-8173

NDSU Research Foundation

1735 NDSU Research Park Drive Dept. 4400 PO Box 6080 Fargo, ND 58108-6050
701.231.8173 or 701.231.6659 Fax 701.231.6661 www.ndsuresearchfoundation.org